

## THE BEAUTY OF WOOD WITHOUT COMPROMISE



COLOR SHOWN: SUNBATHED PECAN | 02

## PRODUCT FEATURES

### CRAFTED FOR DURABILITY

RevWood® flooring offers superior waterproof performance, pet stain protection, and fade resistance, delivering quality that's made to last.

### PLANET FRIENDLY

Planet-friendly, carbon-negative flooring.

### LONG-LASTING BEAUTY

RevWood provides premium hardwood visuals with variations in color, texture, and edge treatment to bring beauty and style to every home.

## PRODUCT SPECIFICATIONS

|                      |                                         |
|----------------------|-----------------------------------------|
| Construction.....    | Laminated Wood                          |
| Installation .....   | Uniclic®                                |
| Thickness .....      | 1/2" (nominal 15/32"); 12 mm            |
| Plank Size .....     | 8-11/32" W x 54-11/32" L                |
| Texture.....         | Signature Technology®                   |
| AC Rating.....       | AC4                                     |
| Edge Profile .....   | GenuEdge®                               |
| Sq Ft/Carton .....   | 22.04                                   |
| Sq Ft/Pallet.....    | 1,146.27                                |
| Cartons/Pallet ..... | 52                                      |
| Warranties .....     | Lifetime Surface & Subfloor Waterproof  |
|                      | Limited Lifetime Residential            |
|                      | 5 YR Limited Light to Medium Commercial |

## PREMIER BENEFITS

### PREMIUM ENHANCED VISUALS

Stunning, realistic wood looks thanks to GenuEdge® and Signature Technology®.

### PET FRIENDLY

Lifetime pet stain and scratch protection with All Pet Gold™ technology.

### WATERPROOF

Lifetime waterproof warranty with WetProtect® technology.

### FADE RESISTANT

Colors will stay vibrant for a lifetime and will resist fading from sunlight.



FRESH SPRING PECAN | 01



SUNBATHED PECAN | 02



CATTAIL PECAN | 03



CLIFFSIDE PECAN | 04








The laminate multifunctional transition allows you to utilize a single trim for four different applications.




T-MOLDING



HARD SURFACE  
REDUCER



END MOLDING



CARPET  
TRANSITION

## The Perfect Finish

Performance Accessories® products offer all of the solutions you need — on, above, and beneath the floor — for a perfectly completed project.

Available Universal Trims:

- Quarter Round (RMQND-WHITE)
- Wall Base (RMBSP-WHITE)
- Stair Riser (RISR-WHITE)

Installation Essentials (Cleaners and Tools):

- PerimeterSeal® Tape (PSTPR-4IN)
- ScentStop® Odor Remover (RSTOP)

Recommended Underlayments:

- Platinum™ (LU39)
- Gold (LU38)
- RealSound® (LU10A)
- MoistureGuard® (LU8A)
- MoistureBarrier® 100 sq ft (VU40R)
- MoistureBarrier® 400 sq ft (VU41R)

| INVENTORY<br>STYLE - COLOR | COLOR<br>NAME      | MULTIFUNCTIONAL<br>TRANSITION | QUARTER<br>ROUND | OVERLAP<br>STAIR NOSE | FLUSH<br>STAIR NOSE | STAIR<br>TREAD | STAIR<br>RETURN | TRUEMATCH® FLUSH<br>STAIR NOSE |
|----------------------------|--------------------|-------------------------------|------------------|-----------------------|---------------------|----------------|-----------------|--------------------------------|
| 33607-01                   | Fresh Spring Pecan | MINC5-06291                   | RMQND-06291      | RMSNP-06291           | MFSNC-06291         | STRD-06291     | SRTN-06291      | TMSRA-W0001                    |
| 33607-02                   | Sunbathed Pecan    | MINC5-06302                   | RMQND-06302      | RMSNP-06302           | MFSNC-06302         | STRD-06302     | SRTN-06302      | TMSRA-W0002                    |
| 33607-03                   | Cattail Pecan      | MINC5-06303                   | RMQND-06303      | RMSNP-06303           | MFSNC-06303         | STRD-06303     | SRTN-06303      | TMSRA-W0003                    |
| 33607-04                   | Cliffside Pecan    | MINC5-06304                   | RMQND-06304      | RMSNP-06304           | MFSNC-06304         | STRD-06304     | SRTN-06304      | TMSRA-W0004                    |