Shaw Floors®
PET PERFECT®

LAMINATE

Husky
SL125



7756 Smokey Taupe

For reference purposes only if printed or downloaded.

Shaw Floors® PET PERFECT® | LAMINATE

Husky
SL125

Style Number	SL125
Nominal Thickness	10 mm
Nominal Thickness Including Pad	10 mm
Nominal Width	9.25"
Profile	Angle Tap
Texture	Embossed in Register
Edge Description	Pressed Bevel
Surface Finish	Waterproof
AC Rating	AC4
Area per Carton	27.77 sq ft
Area per Pallet	999.72 sq ft
Attached Pad	Yes
Installation Grade	Above, On, Below
GREENGUARD® Certified	Yes
Residential Warranty	Residential Waterproof Lifetime Limited Warranty with 30 Year Scratch
Installation	Angle Tap Waterproof Laminate Installation
Maintenance	Laminate Maintenance Guidelines

Sundry Recommendations

Style Number	Style Name	Coverage
UNDERLAYMENT		
101SS	Poly Film (for concrete subfloors only)	100 SQFT per roll
CLEANER		
132SM	Hard Surface Cleaner	32 oz. spray bottle
BACKER ROD		
110SS	Backer Rod	100 LF per bag

Trim Pieces length: 7’ 10” (when ordering please include color number)



RD7SL
Multi Purpose Reducer




TM7SL
T-Molding



QTRSL
Quarter Round



OLSSL
Stairnose



BT7SL
Baby Threshold



FS9SL
Flush Stairnose



SQ9SL
Square Edge Stairnose



TR1SL
Round Stair Tread

SQTLS
Square Stair Tread

For reference purposes only if printed or downloaded.

Shaw Floors® PET PERFECT® | LAMINATE

Husky

SL125

Colors



2216 Birchwood Cream



2217 Desert Sandstone



2218 Butterscotch



2219 Copper Dune



7753 Amber Clay



7754 Fawn Grove



7755 Sequoia Brown



7756 Smokey Taupe

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

For reference purposes only if printed or downloaded.